

PRODUCT CATALOG



BUCHANAN RUBBER LTD.

# TERMS AND CONDITIONS OF SALE

## TERMS

Net 30 days to approved accounts

## RETURNS

Merchandise may not be returned without authorization. Approved return must be prepaid and are subject to a 15% restocking charge.

## CONDITION OF SALE

The purchaser agrees to the following provisions:

- a. "The seller shall not be liable in damages for nor deemed to be in default by reason of any failure or delay in shipment of all or any part of this order caused by war, fire, flood, strikes, lockouts, accidents, Act of God, Government order or requirement, interruption or shortage of materials or transportation facilities or other cause or circumstance similar or otherwise beyond its control."
- b. "The seller may decline to deliver hereunder except for cash if at any time the company shall not be satisfied as to the customer's credit or responsibility."
- c. All prices are subject to change without notice.

## WARRANTY

"The seller guarantees the said goods against original defects in material or workmanship for one year from the date of shipment provided as follows:

- a. the goods are used, operated and maintained in a competent and normal manner by the buyer and in conformity with the seller's instructions.
- b. the seller's liability under this warranty shall be limited to the replacement or repairs of any defective goods, free of charge to the buyer or, at the seller's option, a refund of the purchase price less an adjusted charge for the service rendered by the defective goods.
- c. any expressed or implied warranty that the goods are adequate for any particular purpose is hereby negated.
- d. with respect to the goods not of the seller's own manufacture, this warranty shall apply only to the extent that the seller is able to enforce a claim for liability against the manufacturer thereof.
- e. the buyer shall give written notice to the seller forthwith after the discovery of any defect and thereafter shall make further use of the goods at his own risk.
- f. the seller shall not be liable for consequential damages arising out of the installation or use of the said goods.
- g. this warranty is given in lieu of all other warranties, implied, statutory, or otherwise."

## CLAIMS

Our liability ceases when the goods are delivered to the Transportation Company and we hold receipt for them. Make your claim on the Transportation Companies for concealed as well as apparent damage and advise us.

The information presented in this brochure is to be used as a general guide. This literature and other literature from Buchanan Rubber is to provide product options for further investigation by experienced, technically versed users. Due to the varietal nature of operating conditions and applications, the user is solely responsible for making the final selection of the product with full understanding that the performance and safety criteria of the application are met. The product specifications presented here are subject to change without notice.

## TABLE OF CONTENTS

QUICKKLOK CRIMP COUPLINGS.....	p. 5
QUICKKLOK ALUMINUM CAM AND GROOVE COUPLINGS.....	p. 5
QUICKKLOK STAINLESS CAM AND GROOVE COUPLINGS.....	p. 6
QUICKKLOK CRIMP COMBINATION NIPPLES STAINLESS.....	p. 6
QUICKKLOK CRIMP COMBINATION NIPPLES PLATED STEEL.....	p. 7
QUICKKLOK CRIMP UNIVERSAL FITTINGS.....	p. 7
QUICKKLOK CRIMP FERRULES AND SLEEVES.....	p. 9
QUICKKLOK FERRULES STEEL PLATED FOR 3/4" HOSE.....	p. 9
QUICKKLOK FERRULES STEEL PLATED FOR 1" HOSE.....	p. 9
QUICKKLOK FERRULES STEEL PLATED FOR 1-1/2" HOSE.....	p. 10
QUICKKLOK FERRULES STEEL PLATED FOR 2" HOSE.....	p. 10
QUICKKLOK FERRULES STEEL PLATED FOR 2-1/2" HOSE.....	p. 10
QUICKKLOK FERRULES STEEL PLATED FOR 3" HOSE.....	p. 11
QUICKKLOK FERRULES STEEL PLATED FOR 4" HOSE.....	p. 11
QUICKKLOK FERRULES STEEL PLATED FOR 6" HOSE.....	p. 11
QUICKKLOK FERRULES STAINLESS 304 FOR 3/4" HOSE.....	p. 12
QUICKKLOK FERRULES STAINLESS 304 FOR 1" HOSE.....	p. 12
QUICKKLOK FERRULES STAINLESS 304 FOR 1-1/2" HOSE.....	p. 12
QUICKKLOK FERRULES STAINLESS 304 FOR 2" HOSE.....	p. 13
QUICKKLOK FERRULES STAINLESS 304 FOR 2-1/2" HOSE.....	p. 13
QUICKKLOK FERRULES STAINLESS 304 FOR 3" HOSE.....	p. 13
QUICKKLOK FERRULES STAINLESS 304 FOR 4" HOSE.....	p. 14
QUICKKLOK SLEEVES STEEL PLATED FOR 3/4" HOSE.....	p. 14
QUICKKLOK SLEEVES STEEL PLATED FOR 1" HOSE.....	p. 14
QUICKKLOK SLEEVES STEEL PLATED FOR 1 1/4" HOSE.....	p. 15
QUICKKLOK SLEEVES STEEL PLATED FOR 1 1/2" HOSE.....	p. 15
QUICKKLOK SLEEVES STEEL PLATED FOR 2" HOSE.....	p. 16
QUICKKLOK SLEEVES STEEL PLATED FOR 2 1/2" HOSE.....	p. 16
QUICKKLOK SLEEVES STEEL PLATED FOR 3" HOSE.....	p. 17
QUICKKLOK SLEEVES STEEL PLATED FOR 4" HOSE.....	p. 17
QUICKKLOK SLEEVES STEEL PLATED FOR 6" HOSE.....	p. 18
QUICKKLOK SLEEVES STAINLESS 304 FOR 3/4" HOSE.....	p. 18
QUICKKLOK SLEEVES STAINLESS 304 FOR 1" HOSE.....	p. 18
QUICKKLOK SLEEVES STAINLESS 304 FOR 1 1/4" HOSE.....	p. 19
QUICKKLOK SLEEVES STAINLESS 304 FOR 1 1/2" HOSE.....	p. 19
QUICKKLOK SLEEVES STAINLESS 304 FOR 2" HOSE.....	p. 19
QUICKKLOK SLEEVES STAINLESS 304 FOR 2 1/2" HOSE.....	p. 20
QUICKKLOK SLEEVES STAINLESS 304 FOR 3" HOSE.....	p. 20
QUICKKLOK SLEEVES STAINLESS 304 FOR 4" HOSE.....	p. 21
QUICKKLOK SHORT SLEEVE STL PLTD FOR 3/4" TO 1-1/2" HOSE.....	p. 21
QUICKKLOK SHORT SLEEVE STEEL PLATED FOR 2" HOSE.....	p. 21
QUICKKLOK SHORT SLEEVE STEEL PLATED FOR 3" HOSE.....	p. 22
QUICKKLOK SHORT SLEEVE STEEL PLATED FOR 4" HOSE.....	p. 22
QUICKKLOK LONG FERRULES STEEL PLATED FOR 1-1/4" HOSE.....	p. 22
QUICKKLOK UNIVERSAL LD FERRULE STL PLTD FOR 3/4" & 1" HOSE.....	p. 23
QUICKKLOK UNIVERSAL LD FERRULES SS304 FOR 3/4" & 1" HOSE.....	p. 23
QUICKKLOK UNIVERSAL HD FERRULE STL PLTD FOR 3/4" & 1" HOSE.....	p. 24
QUICKKLOK UNIVERSAL HD FERRULES SS304 FOR 3/4" & 1" HOSE.....	p. 24



## QUICKLOK CRIMP COUPLINGS



Air and General Purpose Hose

Water Suction and Discharge Hose

Petroleum, Steam and Chemical Hose

Rubber Material Handling Hose

Plastic Material Handling Hose

Food Hose

Ducting

Auto Truck and Marine Hose

Fire Hose

Welding and Other Hose

Cam and Groove

Nipples Menders and Shank Fittings

Clamps

High Pressure Fittings

Mine Fittings

Air Fittings

Valves

Sandblast

Fire Fittings

Pipe Fittings

Sheet Rubber

Index and Technical Information

## QUICKLOK ALUMINUM CAM AND GROOVE COUPLINGS

**Vacuum Rating** : FULL  
**Gasket Material** : NBR  
**Gasket Temp.** : -40C to +100C (-40F to +212F)  
**Casting Temp.** : -101C to +121C (-150F to +250F)

Size (in)	Max Operating PSI (70F)	Weight (lbs)	Std Pack Qty	Part #
1-1/2	250	0.810	30	CGC-150CR-A1
2	250	1.060	20	CGC-200CR-A1
2-1/2	150	1.280	10	CGC-250CR-A1
3	150	2.070	10	CGC-300CR-A1
4	150	3.300	4	CGC-400CR-A1
6	75	6.240	2	CGC-600CR-A1
1-1/2	N/A	0.490	50	CGE-150CR-A1
2	N/A	0.710	25	CGE-200CR-A1
2-1/2	N/A	1.010	12	CGE-250CR-A1
3	N/A	1.470	12	CGE-300CR-A1
4	N/A	2.480	6	CGE-400CR-A1
6	N/A	4.400	2	CGE-600CR-A1

Air and  
General  
Purpose  
Hose

## QUICKLOK STAINLESS CAM AND GROOVE COUPLINGS

**Vacuum Rating** : FULL  
**Gasket Material** : NBR  
**Gasket Temp.** : -40C to +100C(-40F to +212F)  
**Casting Temp.** : -101C to +260C(-150F to +500F)

	Size (in)	Max Operating PSI (70F)	Weight (lbs)	Std Pack Qty	Part #
Petroleum, Steam and Chemical Hose	1-1/2	250	1.400	30	CGC-150CR-SS1
Rubber Material Handling Hose	2	250	2.400	20	CGC-200CR-SS1
	2-1/2	150	3.000	10	CGC-250CR-SS1
	3	150	4.000	10	CGC-300CR-SS1
Plastic Material Handling Hose	4	150	5.400	4	CGC-400CR-SS1
	6	75	12.200	2	CGC-600CR-SS1
Food Hose	1-1/2	N/A	1.000	50	CGE-150CR-SS1
Ducting	2	N/A	1.870	25	CGE-200CR-SS1
	2-1/2	N/A	2.600	12	CGE-250CR-SS1
Auto Truck and Marine Hose	3	N/A	3.600	12	CGE-300CR-SS1
	4	N/A	5.000	6	CGE-400CR-SS1

## QUICKLOK CRIMP COMBINATION NIPPLES STAINLESS



	Size (in)	Weight (lbs)	Std Pack Qty	Part #
	1-1/2		60	CNT-150CR-SS316
	2	1.600	50	CNT-200CR-SS316
	2-1/2	2.850	20	CNT-250CR-SS316
	3	4.060	20	CNT-300CR-SS316
	4	8.000	12	CNT-400CR-SS316

## QUICKLOK CRIMP COMBINATION NIPPLES PLATED STEEL

Size (in)	Weight (lbs)	Std Pack Qty	Part #
1	0.400	100	CNT-100CR-SP
1-1/4	0.600	80	CNT-125CR-SP
1-1/2	0.740	60	CNT-150CR-SP
2	1.270	50	CNT-200CR-SP
2-1/2	2.170	20	CNT-250CR-SP
3	2.910	20	CNT-300CR-SP
4	4.300	12	CNT-400CR-SP
6	9.810	4	CNT-600CR-SP

## QUICKLOK CRIMP UNIVERSAL FITTINGS



Size (in)	Weight (lbs)	Std Pack Qty	Part #
3/4	0.500	25	HE-075CR-SP
1	0.650	25	HE-100CR-SP

- Air and General Purpose Hose
- Water Suction and Discharge Hose
- Petroleum, Steam and Chemical Hose
- Rubber Material Handling Hose
- Plastic Material Handling Hose
- Food Hose
- Ducting
- Auto Truck and Marine Hose
- Fire Hose
- Welding and Other Hose
- Cam and Groove
- Nipples Menders and Shank Fittings
- Clamps
- High Pressure Fittings
- Mine Fittings
- Air Fittings
- Valves
- Sandblast
- Fire Fittings
- Pipe Fittings
- Sheet Rubber
- Index and Technical Information



## QUICKKLOK CRIMP FERRULES AND SLEEVES



**Product Information** : CF = Crimp Ferrule/or CSL = Crimp Sleeve - First 2 digits = inside diameter of the hose (15 = 1-1/2") - Third digit = inside diameter of the ferrule in inches - Fourth & Fifth digit = inside diameter of the ferrule in 16ths of an inch (15/16" = 0.9375")

### QUICKKLOK FERRULES STEEL PLATED FOR 3/4" HOSE

Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
1.3750	2.14	200	FPS075124	CF-08106-SP
1.4375	2.14	200	FPS075128	CF-08107-SP
1.5000	2.14	200	FPS075132	CF-08108-SP
1.3125	2.14	200	FPS075120	CF-08105-SP

**Product Information** : For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

### QUICKKLOK FERRULES STEEL PLATED FOR 1" HOSE

Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
1.5000	2.29	200	FPS100132	CF-10108-SP
1.5625	2.29	200	FPS100136	CF-10109-SP
1.6250	2.29	200	FPS100140	CF-10110-SP
1.6875	2.29	200	FPS100144	CF-10111-SP
1.7500	2.29	200	FPS100148	CF-10112-SP
1.8125	2.29	200	FPS100152	CF-10113-SP

**Product Information** : For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Air and General Purpose Hose

Water Suction and Discharge Hose

Petroleum, Steam and Chemical Hose

Rubber Material Handling Hose

Plastic Material Handling Hose

Food Hose

Ducting

Auto Truck and Marine Hose

Fire Hose

Welding and Other Hose

Cam and Groove

Nipples and Shank Fittings

Clamps

High Pressure Fittings

Mine Fittings

Air Fittings

Valves

Sandblast

Fire Fittings

Pipe Fittings

Sheet Rubber

Index and Technical Information

Air and General Purpose Hose

## QUICKKLOK FERRULES STEEL PLATED FOR 1-1/2" HOSE

	Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
Water Suction and Discharge Hose	1.9375	2.36	128	FPS150160	CF-15115-SP
	2.0000	2.36	128	FPS150200	CF-15200-SP
Petroleum, Steam and Chemical Hose	2.0625	2.36	128	FPS150204	CF-15201-SP
	2.1250	2.36	128	FPS150208	CF-15202-SP
Rubber Material Handling Hose	2.1875	2.36	128	FPS150212	CF-15203-SP
	2.2500	2.36	80	FPS150216	CF-15204-SP
	2.3125	2.36	80	FPS150220	CF-15205-SP
Plastic Material Handling Hose	2.3750	2.36	80	FPS150224	CF-15206-SP

**Product Information :** For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Food Hose

## QUICKKLOK FERRULES STEEL PLATED FOR 2" HOSE

	Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
Ducting					
Auto Truck and Marine Hose					
Fire Hose	2.5000	2.79	80	FPS200232	CF-20208-SP
	2.5625	2.79	80	FPS200236	CF-20209-SP
Welding and Other Hose	2.6250	2.79	80	FPS200240	CF-20210-SP
	2.6875	2.79	80	FPS200244	CF-20211-SP
Cam and Groove	2.7500	2.79	80	FPS200248	CF-20212-SP
	2.8125	2.79	80	FPS200252	CF-20213-SP
Nipples, Menders and Shank Fittings	2.8750	2.79	80	FPS200256	CF-20214-SP
	2.9375	2.79	80	FPS200260	CF-20215-SP

**Product Information :** For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

High Pressure Fittings

## QUICKKLOK FERRULES STEEL PLATED FOR 2-1/2" HOSE

	Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
Mine Fittings					
Air Fittings	3.0625	3.11	60	N/A	CF-25301-SP
Valves	3.1250	3.11	60	FPS250308	CF-25302-SP
Sandblast	3.1875	3.11	60	FPS250312	CF-25303-SP
Fire Fittings	3.2500	3.11	60	FPS250316	CF-25304-SP
	3.3125	3.11	60	FPS250320	CF-25305-SP
Pipe Fittings	3.3750	3.11	60	FPS250328	CF-25307-SP

**Product Information :** For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Sheet Rubber  
Index and Technical Information

## QUICKKLOK FERRULES STEEL PLATED FOR 3" HOSE

Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
3.5625	3.94	40	FPS300336	CF-30309-SP
3.6250	3.94	40	FPS300340	CF-30310-SP
3.6875	3.94	40	FPS300344	CF-30311-SP
3.7500	3.94	40	FPS300348	CF-30312-SP
3.8125	3.94	40	FPS300352	CF-30313-SP
3.8750	3.94	40	FPS300356	CF-30314-SP
3.9375	3.94	40	FPS300360	CF-30315-SP
4.0000	3.94	40	FPS300400	CF-30400-SP

**Product Information :** For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

## QUICKKLOK FERRULES STEEL PLATED FOR 4" HOSE

Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
4.5625	4.19	30	FPS400436	CF-40409-SP
4.6250	4.19	30	FPS400440	CF-40410-SP
4.6875	4.19	30	FPS400444	CF-40411-SP
4.7500	4.19	30	FPS400448	CF-40412-SP
4.8125	4.19	30	FPS400452	CF-40413-SP
4.8750	4.19	30	FPS400456	CF-40414-SP
4.9375	4.19	30	FPS400460	CF-40415-SP
5.0000	4.19	30	FPS400500	CF-40500-SP
5.0625	4.19	30	FPS400504	CF-40501-SP

**Product Information :** For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

## QUICKKLOK FERRULES STEEL PLATED FOR 6" HOSE

Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
6.6250	5.67	10	FPS600640	CF-60610-SP
6.8750	5.67	10	FPS600656	CF-60614-SP
7.1250	5.67	10	FPS600708	CF-60702-SP
7.3750	5.67	10	FPS700724	CF-60706-SP

**Product Information :** For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Air and General Purpose Hose

Water Suction and Discharge Hose

Petroleum, Steam and Chemical Hose

Rubber Material Handling Hose

Plastic Material Handling Hose

Food Hose

Ducting

Auto Truck and Marine Hose

Fire Hose

Welding and Other Hose

Cam and Groove

Nipples Menders and Shank Fittings

Clamps

High Pressure Fittings

Mine Fittings

Air Fittings

Valves

Sandblast

Fire Fittings

Pipe Fittings

Sheet Rubber

Index and Technical Information

Air and  
General  
Purpose  
Hose

## QUICKKLOK FERRULES STAINLESS 304 FOR 3/4" HOSE

	Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Veyance Part#	Campbell Part#	Part #
Water Suction and Discharge Hose	1.3125	2.14	200	FRSS075120	FSS075120	CF-08105-SS304
	1.3750	2.14	200	FRSS075124	FSS075124	CF-08106-SS304
Petroleum, Steam and Chemical Hose	1.4375	2.14	200	FRSS075128	FSS075128	CF-08107-SS304
	1.5000	2.14	200	FRSS075132	FSS075132	CF-08108-SS304

**Product Information** : For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Rubber  
Material  
Handling  
Hose

## QUICKKLOK FERRULES STAINLESS 304 FOR 1" HOSE

	Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Veyance Part#	Campbell Part#	Part #
Food Hose	1.5000	2.29	200	FRSS100132	FSS100132	CF-10108-SS304
Ducting	1.5625	2.29	200	FRSS100136	FSS100136	CF-10109-SS304
Auto Truck and Marine Hose	1.6250	2.29	200	FRSS100140	FSS100140	CF-10110-SS304
	1.6875	2.29	200	FRSS100144	FSS100144	CF-10111-SS304
Fire Hose	1.7500	2.29	200	FRSS100148	FSS100148	CF-10112-SS304
	1.8125	2.29	200	FRSS100152	FSS100152	CF-10113-SS304

**Product Information** : For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Cam  
and  
Groove

## QUICKKLOK FERRULES STAINLESS 304 FOR 1-1/2" HOSE

	Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Veyance Part#	Campbell Part#	Part #
Nipples Menders and Shank Fittings	1.9375	2.36	128	FRSS150160	FSS150160	CF-15115-SS304
Clamps	2.0000	2.36	128	FRSS150200	FSS150200	CF-15200-SS304
High Pressure Fittings	2.0625	2.36	128	FRSS150204	FSS150204	CF-15201-SS304
	2.1250	2.36	128	FRSS150208	FSS150208	CF-15202-SS304
Mine Fittings	2.1875	2.36	128	FRSS150212	FSS150212	CF-15203-SS304
Air Fittings	2.2500	2.36	80	FRSS150216	FSS150216	CF-15204-SS304
	2.3125	2.36	80	FRSS150220	FSS150220	CF-15205-SS304
Valves	2.3750	2.36	80	FRSS150224	FSS150224	CF-15206-SS304

**Product Information** : For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Sandblast

Fire  
Fittings

Pipe  
Fittings

Sheet  
Rubber

Index  
and  
Technical  
Information

## QUICKKLOK FERRULES STAINLESS 304 FOR 2" HOSE

Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Veyance Part#	Campbell Part#	Part #
2.5000	2.79	80	FRSS200232	FSS200232	CF-20208-SS304
2.5625	2.79	80	FRSS200236	FSS200236	CF-20209-SS304
2.6250	2.79	80	FRSS200240	FSS200240	CF-20210-SS304
2.6875	2.79	80	FRSS200244	FSS200244	CF-20211-SS304
2.7500	2.79	80	FRSS200248	FSS200248	CF-20212-SS304
2.8125	2.79	80	FRSS200252	FSS200252	CF-20213-SS304
2.8750	2.79	80	FRSS200256	FSS200256	CF-20214-SS304
2.9375	2.79	80	FRSS200260	FSS200260	CF-20215-SS304

**Product Information** : For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Air and  
General  
Purpose  
Hose

Water  
Suction  
and  
Discharge  
Hose

Petroleum,  
Steam and  
Chemical  
Hose

Rubber  
Material  
Handling  
Hose

Plastic  
Material  
Handling  
Hose

## QUICKKLOK FERRULES STAINLESS 304 FOR 2-1/2" HOSE

Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Veyance Part#	Campbell Part#	Part #
3.0625	3.11	60	N/A	N/A	CF-25301-SS304
3.1250	3.11	60	FRSS250308	FSS250308	CF-25302-SS304
3.1875	3.11	60	FRSS250312	FSS250312	CF-25303-SS304
3.2500	3.11	60	FRSS250316	FSS250316	CF-25304-SS304
3.3125	3.11	60	FRSS250320	FSS250320	CF-25305-SS304
3.3750	3.11	60	FRSS250328	FSS250328	CF-25307-SS304

**Product Information** : For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Food Hose

Ducting

Auto  
Truck and  
Marine  
Hose

Fire Hose

Welding  
and  
Other Hose

Cam  
and  
Groove

Nipples  
Menders  
and  
Shank  
Fittings

## QUICKKLOK FERRULES STAINLESS 304 FOR 3" HOSE

Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Veyance Part#	Campbell Part#	Part #
3.5625	3.94	40	FRSS300336	FSS300336	CF-30309-SS304
3.6250	3.94	40	FRSS300340	FSS300340	CF-30310-SS304
3.6875	3.94	40	FRSS300344	FSS300344	CF-30311-SS304
3.7500	3.94	40	FRSS300348	FSS300348	CF-30312-SS304
3.8125	3.94	40	FRSS300352	FSS300352	CF-30313-SS304
3.8750	3.94	40	FRSS300356	FSS300356	CF-30314-SS304
3.9375	3.94	40	FRSS300360	FSS300360	CF-30315-SS304
4.0000	3.94	40	FRSS300400	FSS300400	CF-30400-SS304

**Product Information** : For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Clamps

High  
Pressure  
Fittings

Mine  
Fittings

Air  
Fittings

Valves

Sandblast

Fire  
Fittings

Pipe  
Fittings

Sheet  
Rubber

Index  
and  
Technical  
Information

Air and  
General  
Purpose  
Hose

## QUICKKLOK FERRULES STAINLESS 304 FOR 4" HOSE

	Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Veyance Part#	Campbell Part#	Part #
Water Suction and Discharge Hose	4.5625	4.19	30	FRSS400436	FSS400436	CF-40409-SS304
	4.6250	4.19	30	FRSS400440	FSS400440	CF-40410-SS304
Petroleum, Steam and Chemical Hose	4.6875	4.19	30	FRSS400444	FSS400444	CF-40411-SS304
	4.7500	4.19	30	FRSS400448	FSS400448	CF-40412-SS304
Rubber Material Handling Hose	4.8125	4.19	30	FRSS400452	FSS400452	CF-40413-SS304
	4.8750	4.19	30	FRSS400456	FSS400456	CF-40414-SS304
	4.9375	4.19	30	FRSS400460	FSS400460	CF-40415-SS304
Plastic Material Handling Hose	5.0000	4.19	30	FRSS400500	FSS400500	CF-40500-SS304
	5.0625	4.19	30	FRSS400504	FSS400504	CF-40501-SS304

**Product Information** : For use with Quicklok crimp cam and groove fitting (CGC-XXXCR-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Food Hose

Ducting

## QUICKKLOK SLEEVES STEEL PLATED FOR 3/4" HOSE

	Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
Auto Truck and Marine Hose	1.1250	2.14	200	SPS075108	CSL-08102-SP
Fire Hose	1.2500	2.14	200	SPS075116	CSL-08104-SP
Welding and Other Hose	1.2500	2.29	200	SPS100120	CSL-10105-SP
Cam and Groove	1.3750	2.14	200	SPS075124	CSL-08106-SP

**Product Information** : For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Nipples  
Menders  
and  
Shank  
Fittings

## QUICKKLOK SLEEVES STEEL PLATED FOR 1" HOSE

	Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
High Pressure Fittings	1.3125	2.29	200	SPS100124	CSL-10106-SP
Mine Fittings	1.3750	2.29	200	SPS100128	CSL-10107-SP
Air Fittings	1.5000	2.29	200	SPS100132	CSL-10108-SP
Valves	1.5625	2.29	200	SPS100136	CSL-10109-SP
Sandblast	1.6250	2.29	200	SPS100140	CSL-10110-SP
	1.6875	2.29	200	SPS100144	CSL-10111-SP
Fire Fittings	1.7500	2.29	200	SPS100148	CSL-10112-SP

**Product Information** : For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Sheet  
Rubber

Index  
and  
Technical  
Information

## QUICKKLOK SLEEVES STEEL PLATED FOR 1 1/4" HOSE

Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
1.8750	2.32	200	SPS125156	CSL-13114-SP
2.0000	2.32	200	SPS125200	CSL-13200-SP

**Product Information** : For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

## QUICKKLOK SLEEVES STEEL PLATED FOR 1 1/2" HOSE

Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
1.7500	2.36	128	SPS150148	CSL-15112-SP
1.8125	2.36	128	SPS150152	CSL-15113-SP
1.8750	2.36	128	SPS150156	CSL-15114-SP
1.9375	2.36	128	SPS150160	CSL-15115-SP
2.0000	2.36	128	SPS150200	CSL-15200-SP
2.0625	2.36	128	SPS150204	CSL-15201-SP
2.1250	2.36	128	SPS150208	CSL-15202-SP
2.1875	2.36	128	SPS150212	CSL-15203-SP
2.2500	2.36	80	SPS150216	CSL-15204-SP
2.3125	2.36	80	SPS150220	CSL-15205-SP
2.3750	2.36	80	SPS150224	CSL-15206-SP

**Product Information** : For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Air and  
General  
Purpose  
Hose

Water  
Suction  
and  
Discharge  
Hose

Petroleum,  
Steam and  
Chemical  
Hose

Rubber  
Material  
Handling  
Hose

Plastic  
Material  
Handling  
Hose

Food Hose

Ducting

Auto  
Truck and  
Marine  
Hose

Fire Hose

Welding  
and  
Other Hose

Cam  
and  
Groove

Nipples  
Menders  
and  
Shank  
Fittings

Clamps

High  
Pressure  
Fittings

Mine  
Fittings

Air  
Fittings

Valves

Sandblast

Fire  
Fittings

Pipe  
Fittings

Sheet  
Rubber

Index  
and  
Technical  
Information

Air and  
General  
Purpose  
Hose

## QUICKLOK SLEEVES STEEL PLATED FOR 2" HOSE

	<b>Sleeve I.D (B/in)</b>	<b>Sleeve Lgth (L/in)</b>	<b>Std Pack Qty</b>	<b>Campbell Part#</b>	<b>Part #</b>
Water Suction and Discharge Hose	2.2500	2.79	80	SPS200216	CSL-20204-SP
	2.3750	2.79	80	SPS200224	CSL-20206-SP
Petroleum, Steam and Chemical Hose	2.4375	2.79	80	SPS200228	CSL-20207-SP
	2.5000	2.79	80	SPS200232	CSL-20208-SP
Rubber Material Handling Hose	2.5625	2.79	80	SPS200236	CSL-20209-SP
	2.6250	2.79	80	SPS200240	CSL-20210-SP
	2.6875	2.79	80	SPS200244	CSL-20211-SP
Plastic Material Handling Hose	2.7500	2.79	80	SPS200248	CSL-20212-SP
	2.8125	2.79	80	SPS200252	CSL-20213-SP
	2.8750	2.79	80	SPS200256	CSL-20214-SP
Food Hose	2.9375	2.79	80	SPS200260	CSL-20215-SP
Ducting	3.0000	2.79	80	SPS200300	CSL-20300-SP

**Product Information :** For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Fire Hose

## QUICKLOK SLEEVES STEEL PLATED FOR 2 1/2" HOSE

	<b>Sleeve I.D (B/in)</b>	<b>Sleeve Lgth (L/in)</b>	<b>Std Pack Qty</b>	<b>Campbell Part#</b>	<b>Part #</b>
Welding and Other Hose	3.0000	3.11	60	SPS250300	CSL-25300-SP
Cam and Groove	3.1250	3.11	60	SPS250308	CSL-25302-SP
Nipples	3.2500	3.11	60	SPS250316	CSL-25304-SP
Menders and Shank Fittings	3.3750	3.11	60	SPS250324	CSL-25306-SP
	3.5000	3.11	60	SPS250332	CSL-25308-SP
Clamps	3.2500	3.94	40	SPS300316	CSL-30304-SP

**Product Information :** For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Mine Fittings

Air Fittings

Valves

Sandblast

Fire Fittings

Pipe Fittings

Sheet Rubber

Index and Technical Information

## QUICKKLOK SLEEVES STEEL PLATED FOR 3" HOSE

Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
3.3750	3.94	40	SPS300324	CSL-30306-SP
3.4375	3.94	40	SPS300328	CSL-30307-SP
3.5000	3.94	40	SPS300332	CSL-30308-SP
3.5625	3.94	40	SPS300336	CSL-30309-SP
3.6250	3.94	40	SPS300340	CSL-30310-SP
3.6875	3.94	40	SPS300344	CSL-30311-SP
3.7500	3.94	40	SPS300348	CSL-30312-SP
3.8125	3.94	40	SPS300352	CSL-30313-SP
3.8750	3.94	40	SPS300356	CSL-30314-SP
4.0000	3.94	40	SPS300400	CSL-30400-SP

**Product Information** : For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

## QUICKKLOK SLEEVES STEEL PLATED FOR 4" HOSE

Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
4.2500	4.19	30	SPS400416	CSL-40404-SP
4.6750	4.19	30	SPS400424	CSL-40406-SP
4.5000	4.19	30	SPS400432	CSL-40408-SP
4.5625	4.19	30	SPS400436	CSL-40409-SP
4.6250	4.19	30	SPS400440	CSL-40410-SP
4.6875	4.19	30	SPS400444	CSL-40411-SP
4.7500	4.19	30	SPS400448	CSL-40412-SP
4.8125	4.19	30	SPS400452	CSL-40413-SP
4.8750	4.19	30	SPS400456	CSL-40414-SP
4.9375	4.19	30	SPS400460	CSL-40415-SP
5.0000	4.19	30	SPS400500	CSL-40500-SP

**Product Information** : For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Air and General Purpose Hose

Water Suction and Discharge Hose

Petroleum, Steam and Chemical Hose

Rubber Material Handling Hose

Plastic Material Handling Hose

Food Hose

Ducting

Auto Truck and Marine Hose

Fire Hose

Welding and Other Hose

Cam and Groove

Nipples, Menders and Shank Fittings

Clamps

High Pressure Fittings

Mine Fittings

Air Fittings

Valves

Sandblast

Fire Fittings

Pipe Fittings

Sheet Rubber

Index and Technical Information

Air and  
General  
Purpose  
Hose

## QUICKKLOK SLEEVES STEEL PLATED FOR 6" HOSE

	Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
Water Suction and Discharge Hose	6.2500	5.67	10	SPS600616	CSL-60604-SP
	6.3750	5.67	10	SPS600624	CSL-60606-SP
Petroleum, Steam and Chemical Hose	6.5000	5.67	10	SPS600632	CSL-60608-SP
	6.5260	5.67	10	SPS600640	CSL-60610-SP
Rubber Material Handling Hose	6.7500	5.67	10	SPS600648	CSL-60612-SP
	6.8750	5.67	10	SPS600656	CSL-60614-SP
	7.0000	5.67	10	SPS600700	CSL-60700-SP
Plastic Material Handling Hose	7.1250	5.67	10	SPS600708	CSL-60702-SP
	7.2500	5.67	10	SPS600716	CSL-60704-SP
Food Hose	7.3750	5.67	10	SPS600724	CSL-60706-SP

**Product Information** : For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Ducting

Auto  
Truck and  
Marine  
Hose

## QUICKKLOK SLEEVES STAINLESS 304 FOR 3/4" HOSE

	Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
Fire Hose	1.1250	2.14	200	SSS075108	CSL-08102-SS304
Welding and Other Hose	1.2500	2.14	200	SSS075116	CSL-08104-SS304
Cam and Groove	1.3750	2.14	200	SSS075124	CSL-08106-SS304

**Product Information** : For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Nipples  
Menders  
and  
Shank  
Fittings

## QUICKKLOK SLEEVES STAINLESS 304 FOR 1" HOSE

	Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
Clamps					
High Pressure Fittings	1.2500	2.29	200	SSS100116	CSL-10104-SS304
Mine Fittings	1.3125	2.29	200	SSS100120	CSL-10105-SS304
Air Fittings	1.3750	2.29	200	SSS100124	CSL-10106-SS304
Valves	1.4375	2.29	200	SSS100128	CSL-10107-SS304
Sandblast	1.5000	2.29	200	SSS100132	CSL-10108-SS304
	1.5625	2.29	200	SSS100136	CSL-10109-SS304
Fire Fittings	1.6250	2.29	200	SSS100140	CSL-10110-SS304
Pipe Fittings	1.6875	2.29	200	SSS100144	CSL-10111-SS304
	1.7500	2.29	200	SSS100148	CSL-10112-SS304

**Product Information** : For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Sheet  
Rubber

Index  
and  
Technical  
Information

## QUICKKLOK SLEEVES STAINLESS 304 FOR 1 1/4" HOSE

Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
1.8750	2.32	200	SSS125156	CSL-13114-SS304
2.0000	2.32	200	SSS125200	CSL-13200-SS304

**Product Information** : For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Air and General Purpose Hose

Water Suction and Discharge Hose

Petroleum, Steam and Chemical Hose

Rubber Material Handling Hose

Plastic Material Handling Hose

Food Hose

Ducting

Auto Truck and Marine Hose

Fire Hose

Welding and Other Hose

Cam and Groove

Nipples, Menders and Shank Fittings

Clamps

High Pressure Fittings

Mine Fittings

Air Fittings

Valves

Sandblast

Fire Fittings

Pipe Fittings

Sheet Rubber

Index and Technical Information

## QUICKKLOK SLEEVES STAINLESS 304 FOR 1 1/2" HOSE

Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
1.8125	2.36	128	SSS150152	CSL-15113-SS304
1.8750	2.36	128	SSS150156	CSL-15114-SS304
1.9375	2.36	128	SSS150160	CSL-15115-SS304
2.0000	2.36	128	SSS150200	CSL-15200-SS304
2.0625	2.36	128	SSS150204	CSL-15201-SS304
2.1250	2.36	128	SSS150208	CSL-15202-SS304
2.1875	2.36	128	SSS150212	CSL-15203-SS304
2.2500	2.36	80	SSS150216	CSL-15204-SS304
2.3125	2.36	80	SSS150220	CSL-15205-SS304
2.3750	2.36	80	SSS150224	CSL-15206-SS304

**Product Information** : For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

## QUICKKLOK SLEEVES STAINLESS 304 FOR 2" HOSE

Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
2.5000	2.79	80	SSS200232	CSL-20208-SS304
2.5625	2.79	80	SSS200236	CSL-20209-SS304
2.6250	2.79	80	SSS200240	CSL-20210-SS304
2.6875	2.79	80	SSS200244	CSL-20211-SS304
2.7500	2.79	80	SSS200248	CSL-20212-SS304
2.8125	2.79	80	SSS200252	CSL-20213-SS304
2.8750	2.79	80	SSS200256	CSL-20214-SS304
2.9375	2.79	80	SSS200260	CSL-20215-SS304
3.0000	2.79	80	SSS200300	CSL-20300-SS304

**Product Information** : For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Air and General Purpose Hose

## QUICKLOK SLEEVES STAINLESS 304 FOR 2 1/2" HOSE

	Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
Water Suction and Discharge Hose	3.0000	3.11	60	SSS250300	CSL-25300-SS304
	3.1250	3.11	60	SSS250308	CSL-25302-SS304
Petroleum, Steam and Chemical Hose	3.2500	3.11	60	SSS250316	CSL-25304-SS304
	3.3750	3.11	60	SSS250324	CSL-25306-SS304
Rubber Material Handling Hose	3.5000	3.11	60	SSS250332	CSL-25308-SS304

**Product Information :** For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

Plastic Material Handling Hose

## QUICKLOK SLEEVES STAINLESS 304 FOR 3" HOSE

	Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
Food Hose					
Ducting	3.2500	3.94	40	SSS300316	CSL-30304-SS304
Auto Truck and Marine Hose	3.3750	3.94	40	SSS300324	CSL-30306-SS304
	3.4375	3.94	40	SSS300328	CSL-30307-SS304
Fire Hose	3.5000	3.94	40	SSS300332	CSL-30308-SS304
	3.5625	3.94	40	SSS300336	CSL-30309-SS304
Welding and Other Hose	3.6250	3.94	40	SSS300340	CSL-30310-SS304
	3.6875	3.94	40	SSS300344	CSL-30311-SS304
Cam and Groove	3.7500	3.94	40	SSS300348	CSL-30312-SS304
	3.8125	3.94	40	SSS300352	CSL-30313-SS304
Nipples, Menders and Shank Fittings	3.8750	3.94	40	SSS300356	CSL-30314-SS304
	4.0000	3.94	40	SSS300400	CSL-30400-SS304

**Product Information :** For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

High Pressure Fittings

Mine Fittings

Air Fittings

Valves

Sandblast

Fire Fittings

Pipe Fittings

Sheet Rubber

Index and Technical Information

## QUICKKLOK SLEEVES STAINLESS 304 FOR 4" HOSE

Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
4.2500	4.19	30	SSS400416	CSL-40404-SS304
4.3750	4.19	30	SSS400424	CSL-40406-SS304
4.5000	4.19	30	SSS400432	CSL-40408-SS304
4.5625	4.19	30	SSS400436	CSL-40409-SS304
4.6250	4.19	30	SSS400440	CSL-40410-SS304
4.6875	4.19	30	SSS400444	CSL-40411-SS304
4.7500	4.19	30	SSS400448	CSL-40412-SS304
4.8125	4.19	30	SSS400452	CSL-40413-SS304
4.8750	4.19	30	SSS400456	CSL-40414-SS304
4.9375	4.19	30	SSS400460	CSL-40415-SS304
5.0000	4.19	30	SSS400500	CSL-40500-SS304

**Product Information** : For use with cam and groove fitting (CGC-XXX-A1/SS1) and Quicklok crimp combination nipples (CNT-XXXCR-SP/SS316). I.D Tolerance = +/-0.012

## QUICKKLOK SHORT SLEEVE STL PLTD FOR 3/4" TO 1-1/2" HOSE

Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
1.1250	1.10	200	SPS075108S	CSL-08102S-SP
1.6250	1.26	200	SPS100140S	CSL-10110S-SP
1.7500	1.26	200	SPS125148S	CSL-13112S-SP
1.8750	1.26	200	SPS125156S	CSL-13114S-SP
2.0000	1.46	128	SPS150200S	CSL-15200S-SP

**Product Information** : For use with regular combination nipples (CNT-XXX-S/SP/SS/SS316) and short shank fittings (PL-XXX-AD).

## QUICKKLOK SHORT SLEEVE STEEL PLATED FOR 2" HOSE

Sleeve I.D (B/in)	Sleeve Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
2.1250	1.81	80	SPS200208S	CSL-20202S-SP
2.3750	1.81	80	SPS200224S	CSL-20206S-SP
2.5000	1.81	80	SPS200232S	CSL-20208S-SP
2.6250	1.81	80	SPS200240S	CSL-20210S-SP
2.7500	1.81	80	SPS200248S	CSL-20212S-SP

**Product Information** : For use with regular combination nipples (CNT-XXX-S/SP/SS/SS316) and short shank fittings (PL-XXX-AD).

Air and General Purpose Hose

Water Suction and Discharge Hose

Petroleum, Steam and Chemical Hose

Rubber Material Handling Hose

Plastic Material Handling Hose

Food Hose

Ducting

Auto Truck and Marine Hose

Fire Hose

Welding and Other Hose

Cam and Groove

Nipples Menders and Shank Fittings

Clamps

High Pressure Fittings

Mine Fittings

Air Fittings

Valves

Sandblast

Fire Fittings

Pipe Fittings

Sheet Rubber

Index and Technical Information

Air and  
General  
Purpose  
Hose

## QUICKKLOK SHORT SLEEVE STEEL PLATED FOR 3" HOSE

	<b>Sleeve I.D (B/in)</b>	<b>Sleeve Lgth (L/in)</b>	<b>Std Pack Qty</b>	<b>Campbell Part#</b>	<b>Part #</b>
Water Suction and Discharge Hose	3.3750	2.44	60	SPS300324S	CSL-30306S-SP
	3.4375	2.44	60	SPS300328S	CSL-30307S-SP
Petroleum, Steam and Chemical Hose	3.5000	2.44	60	SPS300332S	CSL-30308S-SP
	3.5625	2.44	60	SPS300336S	CSL-30309S-SP
Rubber Material Handling Hose	3.6250	2.44	60	SPS300340S	CSL-30310S-SP
	3.6875	2.44	60	SPS300344S	CSL-30311S-SP
	3.7500	2.44	60	SPS300348S	CSL-30312S-SP
Plastic Material Handling Hose	3.8750	2.44	60	SPS300356S	CSL-30314S-SP

**Product Information :** For use with regular combination nipples (CNT-XXX-S/SP/SS/SS316) and short shank fittings (PL-XXX-AD).

Food Hose

## QUICKKLOK SHORT SLEEVE STEEL PLATED FOR 4" HOSE

	<b>Sleeve I.D (B/in)</b>	<b>Sleeve Lgth (L/in)</b>	<b>Std Pack Qty</b>	<b>Campbell Part#</b>	<b>Part #</b>
Ducting					
Auto Truck and Marine Hose					
Fire Hose	4.3750	3.31	40	SPS400424S	CSL-40406S-SP
	4.5000	3.31	40	SPS400432S	CSL-40408S-SP
Welding and Other Hose	4.5625	3.31	40	SPS400436S	CSL-40409S-SP
	4.6250	3.31	40	SPS400440S	CSL-40410S-SP
Cam and Groove	4.6875	3.31	40	SPS400444S	CSL-40411S-SP
	4.7500	3.31	40	SPS400448S	CSL-40412S-SP
Nipples Menders and Shank Fittings	4.8125	3.31	40	SPS400452S	CSL-40413S-SP

**Product Information :** For use with regular combination nipples (CNT-XXX-S/SP/SS/SS316) and short shank fittings (PL-XXX-AD).

Clamps

## QUICKKLOK LONG FERRULES STEEL PLATED FOR 1-1/4" HOSE

	<b>Ferrule I.D (B/in)</b>	<b>Ferrule Lgth (L/in)</b>	<b>Std Pack Qty</b>	<b>Campbell Part#</b>	<b>Part #</b>
High Pressure Fittings					
Mine Fittings					
Air Fittings	1.8125	2.74	128	FPS125152L	CF-13113L-SP
	1.8750	2.74	128	FPS125156L	CF-13114L-SP
Valves	1.9375	2.74	128	FPS125160L	CF-13115L-SP

**Product Information :** For use with Quicklok ground joint fittings (GJM/GJS-XXXCR-DP)

Sandblast

Fire  
Fittings

Pipe  
Fittings

Sheet  
Rubber

Index  
and  
Technical  
Information

## QUICKKLOK UNIVERSAL LD FERRULE STL PLTD FOR 3/4" & 1" HOSE

Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
1.1250	2.14	200	FLPS075108	CFT-08104LD-SP
1.1563	2.14	200	FLPS075110	CFT-08105LD-SP
1.1875	2.14	200	FLPS075112	CFT-08106LD-SP
1.2188	2.14	200	FLPS075114	CFT-08107LD-SP
1.2500	2.14	200	FLPS075116	CFT-08108LD-SP
1.2813	2.14	200	FLPS075118	CFT-08109LD-SP
1.4375	2.29	200	FLPS100128	CFT-10114LD-SP
1.4688	2.29	200	FLPS100130	CFT-10115LD-SP
1.5000	2.29	200	FLPS100132	CFT-10116LD-SP
1.5313	2.29	200	FLPS100134	CFT-10117LD-SP
1.5625	2.29	200	FLPS100136	CFT-10118LD-SP

**Product Information** : For use with Quicklok Universal Crimp fittings (HE-XXXCR-DP). Ferrule thickness is .040"

## QUICKKLOK UNIVERSAL LD FERRULES SS304 FOR 3/4" & 1" HOSE

Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Campbell Part#	Part #
1.1250	2.14	200	FLSS075108	CFT-08104LD-SS304
1.1563	2.14	200	FLSS075110	CFT-08105LD-SS304
1.1875	2.14	200	FLSS075112	CFT-08106LD-SS304
1.2188	2.14	200	FLSS075114	CFT-08107LD-SS304
1.2500	2.14	200	FLSS075116	CFT-08108LD-SS304
1.2813	2.14	200	FLSS075118	CFT-08109LD-SS304
1.4375	2.29	200	FLSS100128	CFT-10114LD-SS304
1.4688	2.29	200	FLSS100130	CFT-10115LD-SS304
1.5000	2.29	200	FLSS100132	CFT-10116LD-SS304
1.5313	2.29	200	FLSS100134	CFT-10117LD-SS304
1.5625	2.29	200	FLSS100136	CFT-10118LD-SS304

**Product Information** : For use with Quicklok Universal Crimp fittings (HE-XXXDR-DP). Ferrule thickness is .040"

Air and General Purpose Hose

Water Suction and Discharge Hose

Petroleum, Steam and Chemical Hose

Rubber Material Handling Hose

Plastic Material Handling Hose

Food Hose

Ducting

Auto Truck and Marine Hose

Fire Hose

Welding and Other Hose

Cam and Groove

Nipples Menders and Shank Fittings

Clamps

High Pressure Fittings

Mine Fittings

Air Fittings

Valves

Sandblast

Fire Fittings

Pipe Fittings

Sheet Rubber

Index and Technical Information

## QUICKKLOK UNIVERSAL HD FERRULE STL PLTD FOR 3/4" & 1" HOSE

	Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Part #
Air and General Purpose Hose	1.1250	2.14	200	CFT-08104HD-SP
Water Suction and Discharge Hose	1.1563	2.14	200	CFT-08105HD-SP
	1.1875	2.14	200	CFT-08106HD-SP
Petroleum, Steam and Chemical Hose	1.2188	2.14	200	CFT-08107HD-SP
	1.2500	2.14	200	CFT-08108HD-SP
Rubber Material Handling Hose	1.2813	2.14	200	CFT-08109HD-SP
	1.4375	2.29	200	CFT-10114HD-SP
	1.4688	2.29	200	CFT-10115HD-SP
Plastic Material Handling Hose	1.5000	2.29	200	CFT-10116HD-SP
	1.5313	2.29	200	CFT-10117HD-SP
Food Hose	1.5625	2.29	200	CFT-10118HD-SP

**Product Information :** For use with Quicklok Universal Crimp fittings (HE-XXXCR-DP). Ferrule thickness is .060"

## QUICKKLOK UNIVERSAL HD FERRULES SS304 FOR 3/4" & 1" HOSE

	Ferrule I.D (B/in)	Ferrule Lgth (L/in)	Std Pack Qty	Part #
Fire Hose	1.1250	2.14	200	CFT-08104HD-SS304
Welding and Other Hose	1.1563	2.14	200	CFT-08105HD-SS304
	1.1875	2.14	200	CFT-08106HD-SS304
Cam and Groove	1.2188	2.14	200	CFT-08107HD-SS304
	1.2500	2.14	200	CFT-08108HD-SS304
Nipples Menders and Shank Fittings	1.2813	2.14	200	CFT-08109HD-SS304
	1.4375	2.29	200	CFT-10114HD-SS304
Clamps	1.4688	2.29	200	CFT-10115HD-SS304
	1.5000	2.29	200	CFT-10116HD-SS304
High Pressure Fittings	1.5313	2.29	200	CFT-10117HD-SS304
	1.5625	2.29	200	CFT-10118HD-SS304

**Product Information :** For use with Quicklok Universal Crimp fittings (HE-XXXCR-DP). Ferrule thickness is .060"

Air and General Purpose Hose  
 Water Suction and Discharge Hose  
 Petroleum, Steam and Chemical Hose  
 Rubber Material Handling Hose  
 Plastic Material Handling Hose  
 Food Hose  
 Ducting  
 Auto Truck and Marine Hose  
 Fire Hose  
 Welding and Other Hose  
 Cam and Groove  
 Nipples Menders and Shank Fittings  
 Clamps  
 High Pressure Fittings  
 Mine Fittings  
 Air Fittings  
 Valves  
 Sandblast  
 Fire Fittings  
 Pipe Fittings  
 Sheet Rubber  
 Index and Technical Information



Buchanan Rubber has been in business since 1986. At the time of our inception, most Industrial Hose and Coupling distributors relied on large corporations with high prices, small inventories and long lead times. Our approach to the market was to give these distributors an alternative source of supply. Buchanan Rubber's approach was to concentrate on these three business metrics and offer distributors what they could not consistently receive elsewhere in the market. This approach combined with the practice of staffing our company with Industry professionals has served our customers well over the years.

Today, we continue to successfully optimize this model and consistently offer high quality products at extremely competitive prices, shipped from Canada's largest inventory - THE SAME DAY.

***MISSION: TO BE THE PREMIER CANADIAN SUPPLIER OF INDUSTRIAL HOSE,  
COUPLINGS AND SHEET RUBBER, BY PROVIDING QUALITY PRODUCTS,  
COMPETITIVE PRICES, AND OUTSTANDING SERVICE.***



**BUCHANAN RUBBER LTD.**



**CORPORATE HEAD OFFICE**

50 Fasken Drive, Units 11 - 21 Rexdale, Ontario M9W 1K5  
email: sales@buchananrubber.com

**EDMONTON BRANCH**

8770 51<sup>st</sup> Avenue, Edmonton, Alberta T6E 5E8  
email: westernsales@buchananrubber.com

T. 1.888.775.HOSE (4673)

F. 1.888.990.HOSE (4673)

www.buchananrubber.com

Distributed By:

The information presented in this brochure is to be used as a general guide. This literature and other literature from Buchanan Rubber is to provide product options for further investigation by experienced, technically versed users. Due to the varietal nature of operating conditions and applications, the user is solely responsible for making the final selection of the product with full understanding that the performance and safety criteria of the application are met. The product specifications presented here are subject to change without notice.